

Overview of Philips Ledinaire All-in products and All-in LED lamps



Innovative and simplicity

Discover the "All-in" products that combine multiple functions in a single solution, offering maximum flexibility in design and installation.



Philips Ledinaire All-in

All you need to pack for your next job

Philips Ledinaire All-in luminaires offer up to 3 color temperatures and up to 3 lumen outputs in a single luminaire. Installation is made easy with our field-proven quick connector. Enjoy greatest convenience and flexibility on-site at the flip of a switch.



Integrated switch

Here's how it works

- The lumen output and/or color temperature can be adjusted via an integrated switch.*
- Multi ColorTemp: 2700K / 3000K / 4000K / 6500K*
- Multi Lumen: 1100 lm/1700 lm, 2900 lm/4800 lm, 4100 lm/6800 lm*

Your benefits

- **Reduced risk to pick the wrong luminaire.**
Just change the setting on location.
- **Perfect for maintenance:** pick the right setting on-site while changing luminaires or adjust after installation to the clients' preferences.
- **Enjoy fast installation** thanks to quick connectors.
- **All-in luminaires meet all required standards** to give you peace of mind. And happy customers.
- **Optimize your portfolio with fewer codes** – cut up to 6 down to 1 and elevate both operational efficiency and customer choice.

* Depending on product.

Philips Ledinaire All-in slim downlight



Energy-efficient, professional luminaire for general lighting applications

Designed for lighting circulation areas, corridors, stairwells and other public spaces

Product highlights:

- Easily adjust color temperature via an integrated switch
- Available color temperature package: 3000 K / 4000 K / 6500 K
- Different sizes: round D150mm and D200mm
- IP44 front & Direct IC (installation directly under insulation material)
- Convenient quick connector for easy and quick installation
- Available accessories – an outer trim ring in BK (black) or SI (silver)

Philips Ledinaire Floodlight All-in



Energy-efficient, professional floodlight for outdoor areas

Designed for illuminating outdoor areas, parking lots, shopfronts, building surroundings, as well as sports and recreational facilities

Product highlights:

- Easily adjust color temperature via an integrated switch
- Available color temperature package: 3000 K / 4000 K / 6500 K
- IP65 / IK07 (BVP167) or IP65 / IK08 (BVP169)
- MDU versions with a motion sensor available

Philips Ledinaire Wall-mounted All-in



Reliable luminaire with a wide range of applications

Designed for lighting circulation areas, corridors and stairwells

Product highlights:

- Easily adjust color temperature via an integrated switch
- Available color temperature package: 3000 K / 4000 K / 6000 K
- IP65 / IK08
- Suitable for wall or ceiling installation
- Convenient quick connector for easy and quick installation
- Available accessories – an outer trim ring in BK (black)

Philips Ledinaire Waterproof All-in



Maximum performance and excellent durability in one luminaire

Maximum performance and excellent durability in one luminaire

Product highlights:

- Easily adjust luminous flux via an integrated switch
- Color temperature: 4000 K
- IP65 / IK08
- Convenient quick connector for easy and quick installation
- Dedicated versions with through-wiring

Philips Ledinaire Highbay All-in



Perfect choice for everyday lighting jobs

Designed for lighting warehouses and production halls

Product highlights:

- Easily adjust color temperature via an integrated switch
- Available color temperature package: 4000 K / 5000 K / 6500 K
- Available luminous-flux options: 15000 lm / 22000 lm / 28000 lm
- IP65 / IK07
- Mounting on hook or optional bracket
- Socket for an optional motion and light sensor

Philips Ledinaire Panel All-in



Created to deliver comfortable, diffuse, and energy-saving lighting

Designed for lighting offices, classrooms (OC version – UGR19), circulation areas, corridors and public spaces

Product highlights:

- Easily adjust color temperature via an integrated switch
- Available color temperature package: 3000 K / 3500 K / 4000 K
- Available in 60x60 and 120x30 cm versions
- DALI-controlled version available
- NOC version with UGR>19 also available for general-area lighting

Philips Ledinaire ClearAccent All-in



For accent lighting applications

Designed for lighting public areas in hospitality environments, offices and retail spaces

Product highlights:

- Easily adjust color temperature via an integrated switch
- Available color temperature package: 2700 K / 3000 K / 4000 K
- IP65 at the front and IP20 at the rear
- Convenient quick-connector for fast and easy installation
- Luminaires available in WH (white) and BK (black); external accessories include a decorative trim ring in GD (gold) or SI (silver)

Philips Ledinaire Surface-mounted All-in



Economical and energy-saving LED solution for general area lighting

Designed for lighting offices, classrooms (OC version – UGR19), circulation areas, corridors and public spaces (NOC version – UGR>19)

Product highlights:

- Easily adjust color temperature via an integrated switch
- Color temperature: 4000 K
- Size 120x20 cm
- Convenient quick connector for easy and quick installation

Philips Ledinaire All-in



Industry



Parking



Office, education, healthcare

Application areas



Ledinaire
Waterproof All-in



Ledinaire
Waterproof All-in



Ledinaire panel All-in



Ledinaire
Downlight All-in



Ledinaire
Highbay All-in



Ledinaire
ClearAccent All-in



Ledinaire
Surface-
mounted All-in



Retail and hospitality

Application areas



Ledinaire
panel All-in



Ledinaire
ClearAccent All-in



Ledinaire
Downlight All-in



Ledinaire
Surface-
mounted All-in



Ledinaire
Highbay All-in



Indoor and circulation areas (e.g. corridors, lobbies, entrances, stairwells, restrooms)



Outdoor

Application areas



Ledinaire
ClearAccent All-in



Ledinaire
Downlight All-in



Ledinaire
Wall-mounted All-in



Ledinaire
Floodlight All-in

Philips CorePro LED lamps All-in

All you need
to pack for
your next job

New: the first
GU10 spotlight
in the All-in range



Philips CorePro LED lamps All-in combine up to five codes in one, offering up to five colour temperatures in a single lamp. They provide maximum convenience and flexibility, allowing on-site light adjustment with a single switch. This latest addition to the Philips LED portfolio is a versatile solution for all applications — ideal for both new installations and lighting upgrades.

Here's how it works

- The color temperature can be adjusted via an integrated switch
- Multi ColorTemperature:
LEDbulb All-in: 2700K, 3000K, 4000K, 5000K, 6500K
LEDspot All-in: 2700K, 3000K, 4000K



No more tough decisions

Reduced risk to pick the wrong lamp. Just change the setting on location to fit the requirements.



Perfect for maintenance

Pick the right setting on-site during the installation or adjust afterwards to the clients' preferences.



Trusted Philips quality

All-in LED lamps comply with all relevant standards, ensuring excellent lighting quality you can rely on.

Fewer codes
– a complete portfolio

With up to five codes combined into one, you can optimise inventory levels and streamline your operations while maintaining a full product offering.

Philips LED PLC CorePro All-in 3-in-1 product codes



- 3 color temperatures in single lamps
- Meets the stringent EyeComfort criteria¹
- CRI80 for good color rendering
- Durable plastic material
- Horizontal and vertical installation for total flexibility
- 360° beam angle for uniform light distribution with no dark spots in vertical mounting
- 3 years warranty²

Product type	Lumen output	Color temp. (switchable)	EAN	12NC
	lm	K		
CorePro LED PLC 360D 5.9W 3CCT 2P G24d	810/850/850	3000/4000/6500	8721103035011	929004252802
CorePro LED PLC 360D 6.9W 3CCT 2P G24d	930/980/980	3000/4000/6500	8721103035035	929004252902
CorePro LED PLC 360D 8.9W 3CCT 2P G24d	1240/1300/1300	3000/4000/6500	8721103035059	929004253002

Żarówka LED A60 Philips CorePro All-in 5-in-1 product codes



- 5 color temperatures in a single lamp
- Meets the stringent EyeComfort criteria¹
- Dimmable
- CRI80 for good color rendering
- Durable plastic material
- 2 years warranty²

Product type	Lumen output	Color temp. (switchable)	EAN	12NC
	lm	K		
CorePro LEDbulb DIM 8-60W A60 E27 5CCT	806	2700/3000/4000/ 5000/6500	8720169353336	929003785202

Reflektor punktowy LED GU10 Philips CorePro All-in 3-in-1 product codes



- 3 color temperatures in one lamp
- Meets the stringent EyeComfort criteria¹
- Dimmable
- CRI80 for good color rendering
- 2 years warranty²

Product type	Lumen output	Color temp. (switchable)	EAN	12NC
	lm	K		
CorePro LEDspot 4.8-50W GU10 3CCT 36DDIM	360	2700/3000/4000	8720169369696	929004221002

¹Designed for the comfort of your eyes. Read the EyeComfort whitepaper for flicker, strobe and other criteria and product details.

²For warranty conditions, visit www.lighting.philips.com/main/support/support/warranty



© 2025 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V. All other trademarks are owned by Signify Holding or their respective owners.